

**Quality Criteria Verification
Executive Summary
For QCV, Stage Rollout, DMSU and EGI internal**

| | | | |
|-------------------------|--------------------|-------------------------------|-------------|
| Name of the component | EMI-UI | | |
| Release | EMI 2 | RT Ticket | #5455 #5456 |
| Software Provider | EMI | | |
| Release Contact | Name: | E-Mail | |
| | Cristina Aiftimiei | cristina.aiftimiei@pd.infn.it | |
| Validator | Name: | E-Mail | |
| | Álvaro Simón | asimon@cesga.es | |
| V. Hours Worked | 3 | | |
| Component status | Verified | Date | 16/05/13 |
| Verification start date | 15/05/13 | Verification end date | 16/05/13 |

Summary:
No issues found during verification process.

GGUS Tickets:
None.

Summary of Quality Criteria verification:

| | Generic Quality Criteria Total (Critical/Non critical) | | | |
|------------|--|------------|----------------|-------|
| | Passed | Not passed | Not Applicable | Total |
| TP | | | | |
| VLD | 5 | 0 | 0 | 5 |
| | Specific Quality Criteria | | | |
| TP | | | | |
| VLD | 11 | 0 | 0 | 11 |

Quality Criteria verification cheatsheet:

| Criteria | Accepted (Y/N/N | Tested (TP/VLD) | Comments |
|---|-----------------|-----------------|----------|
| DOCUMENTATION QC | | | |
| GENERIC_DOC_1 (Functional Description) | Optional | | |
| GENERIC_DOC_2 (Release Notes) | Y | VLD | |
| GENERIC_DOC_3 (User Documentation) | Optional | | |
| GENERIC_DOC_4 (Online help (man pages)) | Optional | | |
| GENERIC_DOC_5 (API Documentation) | Optional | | |
| GENERIC_DOC_6 (Administrator Documentat | Optional | | |
| GENERIC_DOC_7 (Service Reference Card) | Optional | | |
| GENERIC_DOC_8 (Software License) | Y | VLD | |
| GENERIC_DOC_9 (Release changes testing) | Optional | | |
| SOFTWARE DISTRIBUTION QC | | | |
| GENERIC_DIST_1 (Source Code Availability) | Y | VLD | |
| GENERIC_DIST_3 (Binary Distribution) | Y | VLD | |
| SOFTWARE FEATURES QC | | | |
| GENERIC_SOFT_1 (Backwards Compatibility) | Y | VLD | |
| GENERIC_SOFT_2 (New features testing) | | | |
| SERVICE CRITERIA QC | | | |
| GENERIC_SERVICE_5 (Automatic Configurati | Optional | | |
| GENERIC_SERVICE_6 (Default Password Co | Y | VLD | |
| GENERIC_SERVICE_7 (Default Configuration | Y | VLD | |
| SECURITY QC | | | |
| GENERIC_SEC_1 (World Writable Files) | Y | VLD | |
| GENERIC_SEC_3 (Passwords in world readab | Y | VLD | |
| MISCELLANEOUS QC | | | |
| GENERIC_MISC_1 (Bug Tracking System) | Y | VLD | |
| AUTHENTICATION QC | | | |
| AUTHN_CRED_1 (X.509 Certificate support) | Y | VLD | |
| AUTHN_CRED_2 (SHA2 Certificate support) | Y | VLD | |
| AUTHN_CRED_3 (RFC Proxy support) | Y | VLD | |
| AUTHN_PROTO_1 (TLS/SSLv3 Support) | Y | VLD | |
| CLIENT TOOLS QC | | | |
| CLIENT_TOOLS_1 (Command line options cor | Y | VLD | |
| CLIENT_TOOLS_2 (Error Messages) | Y | VLD | |

| | | | |
|------------------------------|-------|--------|--------------------|
| classpathx-mail | | noarch | 1.1.1-9.4.e16 |
| sl | 478 k | | |
| cups | | x86_64 | 1:1.4.2-50.e16_4.4 |
| sl-security | 2.3 M | | |
| cups-libs | | x86_64 | 1:1.4.2-50.e16_4.4 |
| sl-security | 316 k | | |
| cvs | | x86_64 | 1.11.23-15.e16 |
| sl | 711 k | | |
| cyrus-sasl-lib | | i686 | 2.1.23-13.e16_3.1 |
| sl | 135 k | | |
| db4 | | i686 | 4.7.25-17.e16 |
| sl | 579 k | | |
| db4-cxx | | x86_64 | 4.7.25-17.e16 |
| sl | 587 k | | |
| dbus | | x86_64 | 1:1.2.24-7.e16_3 |
| sl | 206 k | | |
| dcache-srmclient | | x86_64 | 2.2.4-2.e16 |
| EMI.emi-ui.s16.x86_64 | 15 M | | |
| dcap | | x86_64 | 2.47.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 14 k | | |
| dcap-devel | | x86_64 | 2.47.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 7.6 k | | |
| dcap-libs | | i386 | 2.47.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 83 k | | |
| dcap-libs | | x86_64 | 2.47.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 81 k | | |
| dcap-tunnel-gsi | | x86_64 | 2.47.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 14 k | | |
| dcap-tunnel-krb | | x86_64 | 2.47.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 14 k | | |
| dcap-tunnel-ssl | | x86_64 | 2.47.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 8.0 k | | |
| dcap-tunnel-telnet | | x86_64 | 2.47.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 8.5 k | | |
| delegation-api-c | | x86_64 | 2.1.3-1.e16 |
| EMI.emi-ui.s16.x86_64 | 42 k | | |
| delegation-cli | | x86_64 | 2.1.4-1.e16 |
| EMI.emi-ui.s16.x86_64 | 20 k | | |
| dpm | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 151 k | | |
| dpm-devel | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 204 k | | |
| dpm-libs | | i386 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 137 k | | |
| dpm-libs | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 133 k | | |
| dpm-perl | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 168 k | | |
| dpm-python | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 204 k | | |
| ed | | x86_64 | 1.1-3.3.e16 |
| sl | 71 k | | |
| editline | | x86_64 | 2.9-1.s16 |
| EMI.emi-ui.s16.x86_64 | 202 k | | |
| emi-delegation-java | | noarch | 2.2.0-2.s16 |
| EMI.emi-ui.s16.x86_64 | 87 k | | |
| emi-trustmanager | | noarch | 3.1.4-1.s16 |
| EMI.emi-ui.s16.x86_64 | 249 k | | |
| emi-trustmanager-axis | | noarch | 2.0.2-1.s16 |
| EMI.emi-ui.s16.x86_64 | 27 k | | |
| emi-trustmanager-tomcat | | noarch | 3.0.1-1.s16 |
| EMI.emi-ui.s16.x86_64 | 28 k | | |
| emi-version | | x86_64 | 2.8.0-1.s16 |
| EMI.emi-ui.s16.x86_64 | 2.2 k | | |
| emi.amga.amga-cli | | x86_64 | 2.3.0-1.s16 |
| EMI.emi-ui.s16.x86_64 | 281 k | | |
| emi.saga-adapter.Context-cpp | | x86_64 | 1.0.2-3.s16 |
| EMI.emi-ui.s16.x86_64 | 347 k | | |
| emi.saga-adapter.isn-common | | noarch | 1.0.1-3.s16 |
| EMI.emi-ui.s16.x86_64 | 18 k | | |
| emi.saga-adapter.isn-cpp | | x86_64 | 1.0.3-1.s16 |
| EMI.emi-ui.s16.x86_64 | 779 k | | |
| emi.saga-adapter.sd-cpp | | x86_64 | 1.0.4-1.s16 |
| EMI.emi-ui.s16.x86_64 | 4.2 M | | |
| expat | | i686 | 2.0.1-11.e16_2 |
| sl | 78 k | | |
| fetch-curl | | noarch | 3.0.8-1.e16 |
| epel | 45 k | | |
| flac | | x86_64 | 1.2.1-6.1.e16 |
| sl | 242 k | | |
| fontconfig | | x86_64 | 2.8.0-3.e16 |
| sl | 185 k | | |
| foomatic | | x86_64 | 4.0.4-1.e16_1.1 |
| sl | 250 k | | |
| foomatic-db | | noarch | 4.0-7.20091126.e16 |
| sl | 979 k | | |
| foomatic-db-filesystem | | noarch | 4.0-7.20091126.e16 |
| sl | 3.4 k | | |
| foomatic-db-ppds | | noarch | 4.0-7.20091126.e16 |
| sl | 19 M | | |
| freetype | | x86_64 | 2.3.11-14.e16_3.1 |
| sl | 358 k | | |
| fuse | | x86_64 | 2.8.3-4.e16 |
| sl | 70 k | | |
| fuse-libs | | x86_64 | 2.8.3-4.e16 |
| sl | 73 k | | |
| gamin | | i686 | 0.1.10-9.e16 |
| sl | 119 k | | |
| gettext | | x86_64 | 0.17-16.e16 |
| sl | 1.8 M | | |

| | | | |
|---------------------------------|-------|--------|-----------------|
| gfal | | i386 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 127 k | | |
| gfal | | x86_64 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 120 k | | |
| gfal-python | | x86_64 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 37 k | | |
| gfal2-all | | x86_64 | 2.2.0-1.e16 |
| EMI.emi-ui.s16.x86_64 | 6.9 k | | |
| gfal2-core | | x86_64 | 2.2.0-1.e16 |
| EMI.emi-ui.s16.x86_64 | 39 k | | |
| gfal2-plugin-dcap | | x86_64 | 2.2.0-1.e16 |
| EMI.emi-ui.s16.x86_64 | 13 k | | |
| gfal2-plugin-gridftp | | x86_64 | 2.2.0-1.e16 |
| EMI.emi-ui.s16.x86_64 | 46 k | | |
| gfal2-plugin-lfc | | x86_64 | 2.2.0-1.e16 |
| EMI.emi-ui.s16.x86_64 | 21 k | | |
| gfal2-plugin-rfio | | x86_64 | 2.2.0-1.e16 |
| EMI.emi-ui.s16.x86_64 | 13 k | | |
| gfal2-plugin-srm | | x86_64 | 2.2.0-1.e16 |
| EMI.emi-ui.s16.x86_64 | 37 k | | |
| gfal2-python | | x86_64 | 1.1.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 65 k | | |
| gfal2-transfer | | x86_64 | 2.2.0-1.e16 |
| EMI.emi-ui.s16.x86_64 | 16 k | | |
| gfalFS | | x86_64 | 1.0.1-0.e16 |
| EMI.emi-ui.s16.x86_64 | 15 k | | |
| ghostscript | | x86_64 | 8.70-14.e16_3.1 |
| sl | 4.4 M | | |
| ghostscript-fonts | | noarch | 5.50-23.1.e16 |
| sl | 749 k | | |
| giflib | | x86_64 | 4.1.6-3.1.e16 |
| sl | 36 k | | |
| glib2 | | i686 | 2.22.5-7.e16 |
| sl | 1.1 M | | |
| glib2-devel | | x86_64 | 2.22.5-7.e16 |
| sl | 1.3 M | | |
| glibc | | i686 | 2.12-1.107.e16 |
| sl | 4.3 M | | |
| glibmm24 | | x86_64 | 2.22.1-1.e16 |
| sl | 271 k | | |
| glite-ce-cream-cli | | x86_64 | 1.14.1-2.s16 |
| EMI.emi-ui.s16.x86_64 | 1.2 M | | |
| glite-ce-cream-client-api-c | | x86_64 | 1.14.2-1.s16 |
| EMI.emi-ui.s16.x86_64 | 343 k | | |
| glite-ce-monitor-cli | | x86_64 | 1.14.1-1.s16 |
| EMI.emi-ui.s16.x86_64 | 174 k | | |
| glite-ce-monitor-client-api-c | | x86_64 | 1.14.1-1.s16 |
| EMI.emi-ui.s16.x86_64 | 243 k | | |
| glite-jdl-api-cpp | | x86_64 | 3.3.0-3.s16 |
| EMI.emi-ui.s16.x86_64 | 1.8 M | | |
| glite-jobid-api-c | | x86_64 | 2.1.2-5.e16 |
| EMI.emi-ui.s16.x86_64 | 8.5 k | | |
| glite-lb-client | | x86_64 | 5.1.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 160 k | | |
| glite-lb-client-progs | | x86_64 | 5.1.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 75 k | | |
| glite-lb-common | | x86_64 | 8.1.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 92 k | | |
| glite-lbjp-common-gsoap-plugin | | x86_64 | 3.1.4-1.e16 |
| EMI.emi-ui.s16.x86_64 | 13 k | | |
| glite-lbjp-common-gss | | x86_64 | 3.1.7-1.e16 |
| EMI.emi-ui.s16.x86_64 | 17 k | | |
| glite-lbjp-common-trio | | x86_64 | 2.2.4-1.e16 |
| EMI.emi-ui.s16.x86_64 | 24 k | | |
| glite-service-discovery-api-c | | x86_64 | 2.2.3-1.s16 |
| EMI.emi-ui.s16.x86_64 | 38 k | | |
| glite-wms-brokerinfo-access | | x86_64 | 3.4.0-4.s16 |
| EMI.emi-ui.s16.x86_64 | 18 k | | |
| glite-wms-brokerinfo-access-lib | | x86_64 | 3.4.0-4.s16 |
| EMI.emi-ui.s16.x86_64 | 54 k | | |
| glite-wms-ui-api-python | | x86_64 | 3.4.0-5.s16 |
| EMI.emi-ui.s16.x86_64 | 1.7 M | | |
| glite-wms-ui-commands | | x86_64 | 3.4.0-5.s16 |
| EMI.emi-ui.s16.x86_64 | 1.8 M | | |
| glite-wms-utils-classad | | x86_64 | 3.3.0-2.s16 |
| EMI.emi-ui.s16.x86_64 | 42 k | | |
| glite-wms-utils-exception | | x86_64 | 3.3.0-2.s16 |
| EMI.emi-ui.s16.x86_64 | 38 k | | |
| glite-wms-wmproxy-api-cpp | | x86_64 | 3.4.0-4.s16 |
| EMI.emi-ui.s16.x86_64 | 836 k | | |
| glite-wms-wmproxy-api-java | | noarch | 3.4.0-4.s16 |
| EMI.emi-ui.s16.x86_64 | 1.6 M | | |
| glite-wms-wmproxy-api-python | | noarch | 3.4.0-4.s16 |
| EMI.emi-ui.s16.x86_64 | 32 k | | |
| glite-yaim-clients | | noarch | 5.0.1-2.s16 |
| EMI.emi-ui.s16.x86_64 | 24 k | | |
| glite-yaim-core | | noarch | 5.1.0-1.s16 |
| EMI.emi-ui.s16.x86_64 | 102 k | | |
| globus-callout | | i686 | 2.2-1.e16 |
| epel | 17 k | | |
| globus-callout | | x86_64 | 2.2-1.e16 |
| epel | 18 k | | |
| globus-common | | i686 | 14.9-1.e16 |
| epel | 114 k | | |
| globus-common | | x86_64 | 14.9-1.e16 |
| epel | 115 k | | |
| globus-ftp-client | | i686 | 7.4-1.e16 |
| epel | 93 k | | |
| globus-ftp-client | | x86_64 | 7.4-1.e16 |
| epel | 95 k | | |

| | | | |
|--------------------------|-------|--------|-------------------|
| globus-ftp-control | | i686 | 4.5-2.e16 |
| epel | 67 k | | |
| globus-ftp-control | | x86_64 | 4.5-2.e16 |
| epel | 69 k | | |
| globus-gass-copy | | i686 | 8.6-1.e16 |
| epel | 35 k | | |
| globus-gass-copy | | x86_64 | 8.6-1.e16 |
| epel | 35 k | | |
| globus-gass-copy-progs | | x86_64 | 8.6-1.e16 |
| epel | 41 k | | |
| globus-gass-transfer | | i686 | 7.2-1.e16 |
| epel | 40 k | | |
| globus-gass-transfer | | x86_64 | 7.2-1.e16 |
| epel | 40 k | | |
| globus-gsi-callback | | i686 | 4.4-1.e16 |
| epel | 37 k | | |
| globus-gsi-callback | | x86_64 | 4.4-1.e16 |
| epel | 39 k | | |
| globus-gsi-cert-utils | | i686 | 8.3-1.e16 |
| epel | 19 k | | |
| globus-gsi-cert-utils | | x86_64 | 8.3-1.e16 |
| epel | 20 k | | |
| globus-gsi-credential | | i686 | 5.3-1.e16 |
| epel | 31 k | | |
| globus-gsi-credential | | x86_64 | 5.3-1.e16 |
| epel | 33 k | | |
| globus-gsi-openssl-error | | i686 | 2.1-2.e16 |
| epel | 16 k | | |
| globus-gsi-openssl-error | | x86_64 | 2.1-2.e16 |
| epel | 17 k | | |
| globus-gsi-proxy-core | | i686 | 6.2-1.e16 |
| epel | 31 k | | |
| globus-gsi-proxy-core | | x86_64 | 6.2-1.e16 |
| epel | 33 k | | |
| globus-gsi-proxy-ssl | | i686 | 4.1-2.e16 |
| epel | 17 k | | |
| globus-gsi-proxy-ssl | | x86_64 | 4.1-2.e16 |
| epel | 17 k | | |
| globus-gsi-sysconfig | | i686 | 5.3-1.e16 |
| epel | 27 k | | |
| globus-gsi-sysconfig | | x86_64 | 5.3-1.e16 |
| epel | 28 k | | |
| globus-gss-assist | | i686 | 8.7-1.e16 |
| epel | 32 k | | |
| globus-gss-assist | | x86_64 | 8.7-1.e16 |
| epel | 33 k | | |
| globus-gssapi-error | | i686 | 4.1-2.e16 |
| epel | 14 k | | |
| globus-gssapi-error | | x86_64 | 4.1-2.e16 |
| epel | 14 k | | |
| globus-gssapi-gsi | | i686 | 10.7-1.e16 |
| epel | 54 k | | |
| globus-gssapi-gsi | | x86_64 | 10.7-1.e16 |
| epel | 56 k | | |
| globus-io | | i686 | 9.4-1.e16 |
| epel | 39 k | | |
| globus-io | | x86_64 | 9.4-1.e16 |
| epel | 40 k | | |
| globus-openssl-module | | i686 | 3.2-1.e16 |
| epel | 14 k | | |
| globus-openssl-module | | x86_64 | 3.2-1.e16 |
| epel | 14 k | | |
| globus-proxy-utils | | x86_64 | 5.0-2.e16 |
| epel | 43 k | | |
| globus-rls-client | | x86_64 | 5.2-6.e16 |
| epel | 29 k | | |
| globus-rsl | | x86_64 | 9.1-2.e16 |
| epel | 28 k | | |
| globus-usage | | x86_64 | 3.1-2.e16 |
| epel | 17 k | | |
| globus-xio | | i686 | 3.3-1.e16 |
| epel | 143 k | | |
| globus-xio | | x86_64 | 3.3-1.e16 |
| epel | 160 k | | |
| globus-xio-gsi-driver | | i686 | 2.3-1.e16 |
| epel | 32 k | | |
| globus-xio-gsi-driver | | x86_64 | 2.3-1.e16 |
| epel | 35 k | | |
| globus-xio-popen-driver | | i686 | 2.3-1.e16 |
| epel | 20 k | | |
| globus-xio-popen-driver | | x86_64 | 2.3-1.e16 |
| epel | 21 k | | |
| gnutls | | x86_64 | 2.8.5-10.e16_4.1 |
| sl-security | 345 k | | |
| gridftp-ifce | | i386 | 2.3.1-0.e16 |
| EMI.emi-ui.s16.x86_64 | 14 k | | |
| gridftp-ifce | | x86_64 | 2.3.1-0.e16 |
| EMI.emi-ui.s16.x86_64 | 14 k | | |
| gridsite-commands | | x86_64 | 1.7.25-1.emi2.e16 |
| EMI.emi-ui.s16.x86_64 | 25 k | | |
| gridsite-libs | | x86_64 | 1.7.25-1.emi2.e16 |
| EMI.emi-ui.s16.x86_64 | 86 k | | |
| gsi-openssh | | x86_64 | 5.3p1-9.e16 |
| epel | 196 k | | |
| gsi-openssh-clients | | x86_64 | 5.3p1-9.e16 |
| epel | 233 k | | |
| gsoap | | i686 | 2.7.16-3.e16 |
| epel | 205 k | | |
| gsoap | | x86_64 | 2.7.16-3.e16 |
| epel | 198 k | | |

| | | | |
|----------------------------|-------------|--------|--------------------|
| gstreamer | | x86_64 | 0.10.29-1.e16 |
| sl | 763 k | | |
| gstreamer-plugins-base | | x86_64 | 0.10.29-2.e16 |
| sl | 939 k | | |
| gstreamer-tools | | x86_64 | 0.10.29-1.e16 |
| sl | 22 k | | |
| gtk2 | | x86_64 | 2.18.9-12.e16 |
| sl | 3.3 M | | |
| hicolor-icon-theme | | noarch | 0.11-1.1.e16 |
| sl | 39 k | | |
| is-interface | | i386 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 46 k | | |
| is-interface | | x86_64 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 46 k | | |
| iso-codes | | noarch | 3.16-2.e16 |
| sl | 2.4 M | | |
| jakarta-commons-discovery | | noarch | 1:0.4-5.4.e16 |
| sl | 72 k | | |
| jakarta-commons-httpclient | | x86_64 | 1:3.1-0.7.e16_3 |
| sl | 586 k | | |
| jakarta-commons-logging | | noarch | 1.0.4-10.e16 |
| sl | 51 k | | |
| jasper-libs | | x86_64 | 1.900.1-15.e16_1.1 |
| sl | 135 k | | |
| java-1.5.0-gcj | | x86_64 | 1.5.0.0-29.1.e16 |
| sl | 138 k | | |
| java-1.6.0-openjdk | | x86_64 | 1:1.6.0.0- |
| 1.61.1.11.11.e16_4 | sl-security | 25 M | |
| java_cup | | x86_64 | 1:0.10k-5.e16 |
| sl | 196 k | | |
| jline | | noarch | 0.9.94-0.8.e16 |
| sl | 85 k | | |
| jpackage-utils | | noarch | 1.7.5-3.12.e16 |
| sl | 58 k | | |
| keyutils-libs | | i686 | 1.4-4.e16 |
| sl | 19 k | | |
| krb5-libs | | i686 | 1.10.3-10.e16_4.2 |
| sl-security | 767 k | | |
| lcg-ManageVOTag | | noarch | 4.0.0-1 |
| EMI.emi-ui.s16.x86_64 | 4.9 k | | |
| lcg-info | | noarch | 1.12.2-1.e16 |
| EMI.emi-ui.s16.x86_64 | 13 k | | |
| lcg-infosites | | noarch | 3.1.0-3.e16 |
| EMI.emi-ui.s16.x86_64 | 10 k | | |
| lcg-tags | | noarch | 0.4.0-2 |
| EMI.emi-ui.s16.x86_64 | 8.9 k | | |
| lcg-util | | x86_64 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 72 k | | |
| lcg-util-libs | | i386 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 54 k | | |
| lcg-util-libs | | x86_64 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 54 k | | |
| lcg-util-python | | x86_64 | 1.15.0-0.e16 |
| EMI.emi-ui.s16.x86_64 | 35 k | | |
| lcgdm-devel | | i386 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 44 k | | |
| lcgdm-devel | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 44 k | | |
| lcgdm-libs | | i386 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 89 k | | |
| lcgdm-libs | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 91 k | | |
| lcms-libs | | x86_64 | 1.19-1.e16 |
| sl | 99 k | | |
| lfc | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 98 k | | |
| lfc-devel | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 134 k | | |
| lfc-libs | | i386 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 39 k | | |
| lfc-libs | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 38 k | | |
| lfc-perl | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 124 k | | |
| lfc-python | | x86_64 | 1.8.6-1.e16 |
| EMI.emi-ui.s16.x86_64 | 243 k | | |
| libICE | | x86_64 | 1.0.6-1.e16 |
| sl | 52 k | | |
| libSM | | x86_64 | 1.2.1-2.e16 |
| sl | 36 k | | |
| libX11 | | x86_64 | 1.5.0-4.e16 |
| sl | 584 k | | |
| libX11-common | | noarch | 1.5.0-4.e16 |
| sl | 191 k | | |
| libXau | | x86_64 | 1.0.6-4.e16 |
| sl | 23 k | | |
| libXcomposite | | x86_64 | 0.4.3-4.e16 |
| sl | 20 k | | |
| libXcursor | | x86_64 | 1.1.13-2.e16 |
| sl | 36 k | | |
| libXdamage | | x86_64 | 1.1.3-4.e16 |
| sl | 17 k | | |
| libXext | | x86_64 | 1.3.1-2.e16 |
| sl | 34 k | | |
| libXfixes | | x86_64 | 5.0-3.e16 |
| sl | 23 k | | |
| libXfont | | x86_64 | 1.4.5-2.e16 |
| sl | 135 k | | |
| libXft | | x86_64 | 2.3.1-2.e16 |
| sl | 54 k | | |

| | | | |
|---------------------|-------|--------|-------------------|
| libXi | | x86_64 | 1.6.1-3.e16 |
| sl | 34 k | | |
| libXinerama | | x86_64 | 1.1.2-2.e16 |
| sl | 19 k | | |
| libXrandr | | x86_64 | 1.4.0-1.e16 |
| sl | 36 k | | |
| libXrender | | x86_64 | 0.9.7-2.e16 |
| sl | 29 k | | |
| libXt | | x86_64 | 1.1.3-1.e16 |
| sl | 183 k | | |
| libXtst | | x86_64 | 1.2.1-2.e16 |
| sl | 28 k | | |
| libXv | | x86_64 | 1.0.7-2.e16 |
| sl | 23 k | | |
| libXxf86vm | | x86_64 | 1.1.2-2.e16 |
| sl | 21 k | | |
| libart_lgpl | | x86_64 | 2.3.20-5.1.e16 |
| sl | 64 k | | |
| libasyncns | | x86_64 | 0.8-1.1.e16 |
| sl | 23 k | | |
| libcom_err | | i686 | 1.41.12-14.e16 |
| sl | 35 k | | |
| libfontenc | | x86_64 | 1.0.5-2.e16 |
| sl | 24 k | | |
| libgcc | | i686 | 4.4.7-3.e16 |
| sl | 111 k | | |
| libgcj | | x86_64 | 4.4.7-3.e16 |
| sl | 19 M | | |
| libgomp | | x86_64 | 4.4.7-3.e16 |
| sl | 117 k | | |
| libgudev1 | | x86_64 | 147-2.46.e16 |
| sl | 59 k | | |
| libicu | | x86_64 | 4.2.1-9.1.e16_2 |
| sl | 4.9 M | | |
| libjpeg-turbo | | x86_64 | 1.2.1-1.e16 |
| sl | 173 k | | |
| libmng | | x86_64 | 1.0.10-4.1.e16 |
| sl | 164 k | | |
| libogg | | x86_64 | 2:1.1.4-2.1.e16 |
| sl | 20 k | | |
| liboil | | x86_64 | 0.3.16-4.1.e16 |
| sl | 120 k | | |
| libpng | | x86_64 | 2:1.2.49-1.e16_2 |
| sl | 181 k | | |
| libselinux | | i686 | 2.0.94-5.3.e16 |
| sl | 107 k | | |
| libsigc++20 | | x86_64 | 2.2.4.2-1.e16 |
| sl | 52 k | | |
| libsndfile | | x86_64 | 1.0.20-5.e16 |
| sl | 232 k | | |
| libstdc++ | | i686 | 4.4.7-3.e16 |
| sl | 299 k | | |
| libtar | | x86_64 | 1.2.11-17.e16 |
| sl | 28 k | | |
| libtasn1 | | x86_64 | 2.3-3.e16_2.1 |
| sl | 237 k | | |
| libthai | | x86_64 | 0.1.12-3.e16 |
| sl | 182 k | | |
| libtheora | | x86_64 | 1:1.1.0-2.e16 |
| sl | 128 k | | |
| libtiff | | x86_64 | 3.9.4-9.e16_3 |
| sl | 341 k | | |
| libtool-ltdl | | i686 | 2.2.6-15.5.e16 |
| sl | 44 k | | |
| libtool-ltdl | | x86_64 | 2.2.6-15.5.e16 |
| sl | 43 k | | |
| libudev | | x86_64 | 147-2.46.e16 |
| sl | 72 k | | |
| libuuid | | i686 | 2.17.2-12.9.e16 |
| sl | 66 k | | |
| libvisual | | x86_64 | 0.4.0-9.1.e16 |
| sl | 134 k | | |
| libvorbis | | x86_64 | 1:1.2.3-4.e16_2.1 |
| sl | 167 k | | |
| libxcb | | x86_64 | 1.8.1-1.e16 |
| sl | 109 k | | |
| libxslt | | x86_64 | 1.1.26-2.e16_3.1 |
| sl | 451 k | | |
| log4cpp | | x86_64 | 1.0-13.e16 |
| sl | 536 k | | |
| log4j | | x86_64 | 1.2.14-6.4.e16 |
| sl | 678 k | | |
| mailcap | | noarch | 2.1.31-2.e16 |
| sl | 26 k | | |
| make | | x86_64 | 1:3.81-20.e16 |
| sl | 388 k | | |
| mesa-dri-drivers | | x86_64 | 9.0-0.7.e16 |
| sl | 4.1 M | | |
| mesa-dri-filesystem | | x86_64 | 9.0-0.7.e16 |
| sl | 43 k | | |
| mesa-dril-drivers | | x86_64 | 7.11-8.e16 |
| sl | 3.8 M | | |
| mesa-libGL | | x86_64 | 9.0-0.7.e16 |
| sl | 162 k | | |
| mesa-libGLU | | x86_64 | 9.0-0.7.e16 |
| sl | 224 k | | |
| myproxy | | x86_64 | 5.9-2.e16 |
| epel | 74 k | | |
| myproxy-libs | | x86_64 | 5.9-2.e16 |
| epel | 112 k | | |

| | | | |
|------------------------------|-------|--------|----------------------|
| ncurses-libs | | i686 | 5.7-3.20090208.e16 |
| sl | 250 k | | |
| nordugrid-arc | | x86_64 | 2.0.3-1.e16 |
| EMI.emi-ui.sl6.x86_64 | 1.3 M | | |
| nordugrid-arc-client | | x86_64 | 2.0.3-1.e16 |
| EMI.emi-ui.sl6.x86_64 | 462 k | | |
| nordugrid-arc-compatible | | x86_64 | 1.0.1-1.e16 |
| EMI.emi-ui.sl6.x86_64 | 1.4 M | | |
| nordugrid-arc-java | | x86_64 | 2.0.3-1.e16 |
| EMI.emi-ui.sl6.x86_64 | 712 k | | |
| nordugrid-arc-plugins-globus | | x86_64 | 2.0.3-1.e16 |
| EMI.emi-ui.sl6.x86_64 | 233 k | | |
| nordugrid-arc-plugins-needed | | x86_64 | 2.0.3-1.e16 |
| EMI.emi-ui.sl6.x86_64 | 1.0 M | | |
| nordugrid-arc-python | | x86_64 | 2.0.3-1.e16 |
| EMI.emi-ui.sl6.x86_64 | 1.5 M | | |
| nspr | | i686 | 4.9.2-1.e16 |
| sl | 113 k | | |
| nss | | i686 | 3.14.0.0-12.e16 |
| sl | 773 k | | |
| nss-softokn | | i686 | 3.12.9-11.e16 |
| sl | 171 k | | |
| nss-softokn-freebl | | i686 | 3.12.9-11.e16 |
| sl | 115 k | | |
| nss-util | | i686 | 3.14.0.0-2.e16 |
| sl | 60 k | | |
| openjpeg-libs | | x86_64 | 1.3-9.e16_3 |
| sl | 58 k | | |
| openldap | | i686 | 2.4.23-31.e16 |
| sl | 266 k | | |
| openldap-clients | | x86_64 | 2.4.23-31.e16 |
| sl | 164 k | | |
| openssl | | i686 | 1.0.0-27.e16_4.2 |
| sl-security | 1.4 M | | |
| pango | | x86_64 | 1.28.1-7.e16_3 |
| sl | 349 k | | |
| patch | | x86_64 | 2.6-6.e16 |
| sl | 90 k | | |
| pax | | x86_64 | 3.4-10.1.e16 |
| sl | 68 k | | |
| perl-Authen-SASL | | noarch | 2.13-2.e16 |
| sl | 50 k | | |
| perl-CGI | | x86_64 | 3.51-130.e16_4 |
| sl-security | 207 k | | |
| perl-Compress-Raw-Zlib | | x86_64 | 1:2.020-130.e16_4 |
| sl-security | 67 k | | |
| perl-Compress-Zlib | | x86_64 | 2.020-130.e16_4 |
| sl-security | 43 k | | |
| perl-Convert-ASN1 | | noarch | 0.22-1.e16 |
| sl | 42 k | | |
| perl-DBI | | x86_64 | 1.609-4.e16 |
| sl | 704 k | | |
| perl-Digest-HMAC | | noarch | 1.01-22.e16 |
| sl | 21 k | | |
| perl-Digest-SHA1 | | x86_64 | 2.12-2.e16 |
| sl | 48 k | | |
| perl-ExtUtils-MakeMaker | | x86_64 | 6.55-130.e16_4 |
| sl-security | 291 k | | |
| perl-ExtUtils-ParseXS | | x86_64 | 1:2.2003.0-130.e16_4 |
| sl-security | 43 k | | |
| perl-GSSAPI | | x86_64 | 0.26-6.e16 |
| sl | 63 k | | |
| perl-HTML-Parser | | x86_64 | 3.64-2.e16 |
| sl | 108 k | | |
| perl-HTML-Tagset | | noarch | 3.20-4.e16 |
| sl | 15 k | | |
| perl-IO-Compress-Base | | x86_64 | 2.020-130.e16_4 |
| sl-security | 67 k | | |
| perl-IO-Compress-Zlib | | x86_64 | 2.020-130.e16_4 |
| sl-security | 133 k | | |
| perl-IO-Socket-SSL | | noarch | 1.31-2.e16 |
| sl | 68 k | | |
| perl-LDAP | | noarch | 1:0.40-1.e16 |
| sl | 353 k | | |
| perl-Net-LibIDN | | x86_64 | 0.12-3.e16 |
| sl | 34 k | | |
| perl-Net-SSLeay | | x86_64 | 1.35-9.e16 |
| sl | 172 k | | |
| perl-Test-Harness | | x86_64 | 3.17-130.e16_4 |
| sl-security | 229 k | | |
| perl-Test-Simple | | x86_64 | 0.92-130.e16_4 |
| sl-security | 110 k | | |
| perl-Text-Iconv | | x86_64 | 1.7-6.e16 |
| sl | 21 k | | |
| perl-URI | | noarch | 1.40-2.e16 |
| sl | 116 k | | |
| perl-XML-Filter-BufferText | | noarch | 1.01-8.e16 |
| sl | 8.5 k | | |
| perl-XML-LibXML | | x86_64 | 1:1.70-5.e16 |
| sl | 363 k | | |
| perl-XML-Namespacesupport | | noarch | 1.10-3.e16 |
| sl | 16 k | | |
| perl-XML-SAX | | noarch | 0.96-7.e16 |
| sl | 77 k | | |
| perl-XML-SAX-Writer | | noarch | 0.50-8.e16 |
| sl | 23 k | | |
| perl-devel | | x86_64 | 4:5.10.1-130.e16_4 |
| sl-security | 420 k | | |
| perl-libwww-perl | | noarch | 5.833-2.e16 |
| sl | 386 k | | |

| | | | |
|--------------------------|-------|--------|------------------|
| phonon-backend-gstreamer | | x86_64 | 1:4.6.2-26.e16_4 |
| sl-security | 126 k | x86_64 | |
| pixman | | x86_64 | 0.26.2-5.e16_4 |
| sl-security | 199 k | x86_64 | |
| pkgconfig | | x86_64 | 1:0.23-9.1.e16 |
| sl | 69 k | x86_64 | |
| poppler | | x86_64 | 0.12.4-3.e16_0.1 |
| sl | 556 k | x86_64 | |
| poppler-data | | noarch | 0.4.0-1.e16 |
| sl | 2.2 M | x86_64 | |
| poppler-utils | | x86_64 | 0.12.4-3.e16_0.1 |
| sl | 72 k | x86_64 | |
| portreserve | | x86_64 | 0.0.4-9.e16 |
| sl | 22 k | x86_64 | |
| pulseaudio-libs | | x86_64 | 0.9.21-14.e16_3 |
| sl | 461 k | x86_64 | |
| python-fpconst | | noarch | 0.7.3-6.1.e16 |
| sl | 15 k | x86_64 | |
| qt | | x86_64 | 1:4.6.2-26.e16_4 |
| sl-security | 3.9 M | x86_64 | |
| qt-sqlite | | x86_64 | 1:4.6.2-26.e16_4 |
| sl-security | 50 k | x86_64 | |
| qt-x11 | | x86_64 | 1:4.6.2-26.e16_4 |
| sl-security | 12 M | x86_64 | |
| qt3 | | x86_64 | 3.3.8b-30.e16 |
| sl | 3.5 M | x86_64 | |
| readline | | i686 | 6.0-4.e16 |
| sl | 175 k | x86_64 | |
| redhat-lsb | | x86_64 | 4.0-7.e16 |
| sl | 10 k | x86_64 | |
| redhat-lsb-compat | | x86_64 | 4.0-7.e16 |
| sl | 9.3 k | x86_64 | |
| redhat-lsb-core | | x86_64 | 4.0-7.e16 |
| sl | 24 k | x86_64 | |
| redhat-lsb-graphics | | x86_64 | 4.0-7.e16 |
| sl | 12 k | x86_64 | |
| redhat-lsb-printing | | x86_64 | 4.0-7.e16 |
| sl | 10 k | x86_64 | |
| rhino | | noarch | 1.7-0.7.r2.2.e16 |
| sl | 777 k | x86_64 | |
| sinjdoc | | x86_64 | 0.5-9.1.e16 |
| sl | 704 k | x86_64 | |
| sqlite | | i686 | 3.6.20-1.e16 |
| sl | 306 k | x86_64 | |
| srp-ifce | | i386 | 1.15.2-1.e16 |
| EMI.emi-ui.s16.x86_64 | 157 k | x86_64 | |
| srp-ifce | | x86_64 | 1.15.2-1.e16 |
| EMI.emi-ui.s16.x86_64 | 145 k | x86_64 | |
| storm-srm-client | | x86_64 | 1.6.0-6.s16 |
| EMI.emi-ui.s16.x86_64 | 321 k | x86_64 | |
| swig | | x86_64 | 1.3.40-6.e16 |
| sl | 1.1 M | x86_64 | |
| time | | x86_64 | 1.7-37.1.e16 |
| sl | 25 k | x86_64 | |
| tmpwatch | | x86_64 | 2.9.16-4.e16 |
| sl | 30 k | x86_64 | |
| transfer-cli | | x86_64 | 4.0.3-1.e16 |
| EMI.emi-ui.s16.x86_64 | 1.0 M | x86_64 | |
| tzdata-java | | noarch | 2013b-1.e16 |
| sl-security | 155 k | x86_64 | |
| uberftp | | x86_64 | 2.6-4.e16 |
| epel | 82 k | noarch | |
| unicore-hila-shell | | noarch | 2.3.0-5.s16 |
| EMI.emi-ui.s16.x86_64 | 3.9 M | x86_64 | |
| unicore-hila-unicore6 | | noarch | 2.3.0-5.s16 |
| EMI.emi-ui.s16.x86_64 | 22 M | x86_64 | |
| unicore-ucc6 | | noarch | 5.0.0-1.s16 |
| EMI.emi-ui.s16.x86_64 | 31 M | x86_64 | |
| urw-fonts | | noarch | 2.4-10.e16 |
| sl | 3.0 M | x86_64 | |
| util-c | | x86_64 | 1.3.3-1.e16 |
| EMI.emi-ui.s16.x86_64 | 22 k | x86_64 | |
| voms | | i386 | 2.0.9-1.e16 |
| EMI.emi-ui.s16.x86_64 | 139 k | x86_64 | |
| voms | | x86_64 | 2.0.9-1.e16 |
| EMI.emi-ui.s16.x86_64 | 136 k | x86_64 | |
| voms-clients | | x86_64 | 2.0.9-1.e16 |
| EMI.emi-ui.s16.x86_64 | 104 k | x86_64 | |
| wsdl4j | | noarch | 1.5.2-7.8.e16 |
| sl | 156 k | x86_64 | |
| xerces-c | | x86_64 | 3.0.1-20.e16 |
| sl | 865 k | x86_64 | |
| xml-common | | noarch | 0.6.3-32.e16 |
| sl | 8.4 k | x86_64 | |
| xml-commons-apis | | x86_64 | 1.3.04-3.6.e16 |
| sl | 438 k | x86_64 | |
| xmlsec1 | | x86_64 | 1.2.16-2.e16 |
| epel | 169 k | x86_64 | |
| xmlsec1-openssl | | x86_64 | 1.2.16-2.e16 |
| epel | 69 k | x86_64 | |
| xorg-x11-font-utils | | x86_64 | 1:7.2-11.e16 |
| sl | 74 k | x86_64 | |
| xrootd-client-libs | | x86_64 | 1:3.3.1-1.e16 |
| epel | 383 k | x86_64 | |
| xrootd-libs | | x86_64 | 1:3.3.1-1.e16 |
| epel | 437 k | x86_64 | |
| zip | | x86_64 | 3.0-1.e16 |
| sl | 259 k | x86_64 | |
| zlib | | i686 | 1.2.3-29.e16 |
| sl | 72 k | x86_64 | |

Transaction Summary

Install 382 Package(s)

Total download size: 284 M

Installed size: 833 M

Is this ok [y/N]:

* Configuration

```
# /opt/glite/yaim/bin/yaim -c -s /root/configuration_templates/EMI/UI/site-info.def -n UI [OK]
```

* Testing

```
$ voms-proxy-init --rfc --voms ops
```

Enter GRID pass phrase:

Your identity: /DC=es/DC=irisgrid/O=cesga/CN=alvarosimon

Creating temporary proxy Done

Contacting lcg-voms.cern.ch:15009 [/DC=ch/DC=cern/OU=computers/CN=lcg-voms.cern.ch] "ops" Done

Creating proxy Done

Your proxy is valid until Thu May 16 21:54:16 2013

```
[asimon@test13 ~]$ voms-proxy-info --all
```

subject : /DC=es/DC=irisgrid/O=cesga/CN=alvarosimon/CN=1798817973

issuer : /DC=es/DC=irisgrid/O=cesga/CN=alvarosimon

identity : /DC=es/DC=irisgrid/O=cesga/CN=alvarosimon

type : RFC compliant proxy

strength : 1024 bits

path : /tmp/x509up_u500

timeleft : 11:59:56

key usage : Digital Signature, Key Encipherment, Data Encipherment

=== VO ops extension information ===

VO : ops

subject : /DC=es/DC=irisgrid/O=cesga/CN=alvarosimon

issuer : /DC=ch/DC=cern/OU=computers/CN=lcg-voms.cern.ch

attribute : /ops/Role=NULL/Capability=NULL

attribute : /ops/NGI/Role=NULL/Capability=NULL

attribute : /ops/NGI/Spain/Role=NULL/Capability=NULL

timeleft : 11:59:56

uri : lcg-voms.cern.ch:15009

```
$ glite-ce-delegate-proxy -e test06.egi.cesga.es asimon
```

Proxy with delegation id [asimon] succesfully delegated to endpoint [test06.egi.cesga.es]

```
$ glite-ce-job-submit -D asimon -r test06.egi.cesga.es:8443/cream-pbs-GRID_ops testCREAM2.jdl
```

https://test06.egi.cesga.es:8443/CREAM615864053

```
[asimon@test13 ~]$ glite-ce-job-status -L 2 https://test06.egi.cesga.es:8443/CREAM615864053
```

***** JobID=[https://test06.egi.cesga.es:8443/CREAM615864053]

Current Status = [DONE-OK]

Working Dir = [[reserved]]

ExitCode = [0]

Grid JobID = [N/A]

LRMS Abs JobID = [[reserved]]

LRMS JobID = [[reserved]]

Deleg Proxy ID = [asimon]

DelegProxyInfo = [[isRFC="true"; valid from="5/16/13 7:50 AM (GMT)"; valid to="5/16/13 7:53 PM (GMT)";

holder DN="CN=alvarosimon,O=cesga,DC=irisgrid,DC=es"; holder AC

issuer="CN=1368690949,CN=1798817973,CN=alvarosimon,O=cesga,DC=irisgrid,DC=es"; VO="ops"; AC issuer="CN=lcg-

voms.cern.ch,OU=computers,DC=cern,DC=ch"; VOMS attributes={ /ops/Role=NULL/Capability=NULL,

/ops/NGI/Role=NULL/Capability=NULL, /ops/NGI/Spain/Role=NULL/Capability=NULL }]]

Worker Node = [test15.egi.cesga.es]

Local User = [ops011]

CREAM ISB URI =

[gsiftp://test06.egi.cesga.es/var/cream_sandbox/ops/CN_alvarosimon_O_cesga_DC_irisgrid_DC_es_ops_Role_NULL_Capability_NULL_ops011/61/CREAM615864053/ISB]

CREAM OSB URI =

[gsiftp://test06.egi.cesga.es/var/cream_sandbox/ops/CN_alvarosimon_O_cesga_DC_irisgrid_DC_es_ops_Role_NULL_Capability_NULL_ops011/61/CREAM615864053/OSB]

JDL = [[StdOutput = "test.out"; BatchSystem = "pbs"; QueueName = "GRID_ops"; Executable =

"hola.sh"; OutputSandboxBaseDestUri = "gsiftp://se2.egee.cesga.es/tmp"; OutputSandbox = { "test.out1","test.err1" };

InputSandbox = { "/home/asimon/hola.sh" }; StdError = "test.err"]]

Type = [normal]

Job status changes:

Status = [REGISTERED] - [Thu 16 May 2013 09:59:30] (1368691170)

Status = [PENDING] - [Thu 16 May 2013 09:59:31] (1368691171)

Status = [RUNNING] - [Thu 16 May 2013 09:59:34] (1368691174)

Status = [REALLY-RUNNING] - [Thu 16 May 2013 09:59:35] (1368691175)

Status = [DONE-OK] - [Thu 16 May 2013 10:00:35] (1368691235)

Issued Commands:

*** Command Name = [JOB_REGISTER]

Command Category = [JOB_MANAGEMENT]

Command Status = [SUCCESSFULL]

Creation Time = [Thu 16 May 2013 09:59:30] (1368691170)

Start Scheduling Time = [Thu 16 May 2013 09:59:30] (1368691170)

Start Processing Time = [Thu 16 May 2013 09:59:30] (1368691170)

Execution Completed Time = [Thu 16 May 2013 09:59:30] (1368691170)

*** Command Name = [JOB_START]

```
Command Category      = [JOB_MANAGEMENT]
Command Status        = [CREATED]
Creation Time         = [Thu 16 May 2013 09:59:31] (1368691171)
Start Scheduling Time = [Thu 16 May 2013 09:59:31] (1368691171)
Start Processing Time = [Thu 16 May 2013 09:59:31] (1368691171)
```

* WMS delegate RFC proxy [ERROR]

```
$ glite-wms-job-submit -a -o out.jid -r test06.egi.cesga.es:8443/cream-pbs-GRID_ops testCREAM.jdl
```

Connecting to the service https://test22.egi.cesga.es:7443/glite_wms_wmproxy_server

===== glite-wms-job-submit Success =====

The job has been successfully submitted to the WMPProxy
Your job identifier is:

https://test22.egi.cesga.es:9000/82prfDeLajwqd7vGRjTS1w

The job identifier has been saved in the following file:
/home/asimon/out.jid

```
$ glite-wms-job-status -i out.jid
```

===== glite-wms-job-status Success =====

BOOKKEEPING INFORMATION:

```
Status info for the Job : https://test22.egi.cesga.es:9000/82prfDeLajwqd7vGRjTS1w
Current Status:      Done(Success)
Logged Reason(s):
  - job completed
  - Job Terminated Successfully
Exit code:           0
Status Reason:       Job Terminated Successfully
Destination:         test06.egi.cesga.es:8443/cream-pbs-GRID_ops
Submitted:           Thu May 16 10:27:36 2013 CEST
```

SL5

===

```
=====
Package
Repository              Size      Arch      Version
=====
Installing:
emi-ui                  3.9 k     x86_64    2.0.2-1.e15
EMI.emi-ui.sl5.x86_64
Installing for dependencies:
CGSI-gSOAP              62 k     i386      1.3.5-2.e15
UMD-2-updates           69 k     x86_64    1.3.5-2.e15
CGSI-gSOAP              69 k     x86_64    0.8.4-6.e15
PyXML                   1.0 M     x86_64    1.6.0-1.sl5
SAGA.lsu-cpp.engine    22 M     x86_64    0.11.6-12.e15
SOAPpy                  284 k     noarch    1.2.1-2jpp.7.e15_9
epel                    3.6 M     x86_64    1.33.1-16.e15_9
axis                    863 k     x86_64    1.41.0-4.e15
sl-security             1.1 M     x86_64    1.45-6.e15
sl-security             4.0 M     x86_64    1.6.0-5.e15
boost                   49 k     noarch    1.52-1
ca_policy_igtf-mics    2.8 k     x86_64    1.0.8-1.e15
EGT-trustanchors       453 k     x86_64    1.0-9jpp.1
classads                111 k     x86_64    1.1.1-4jpp.2
sl-base                 1.2 M     x86_64    2.2.4-2.e15
dcache-srmclient       15 M     x86_64    2.47.7-1.e15
UMD-2-updates          15 k     x86_64    2.47.7-1.e15
dcap-devel              7.4 k     x86_64    2.47.7-1.e15
dcap-libs               124 k     x86_64    2.47.7-1.e15
UMD-2-updates          14 k     x86_64    2.47.7-1.e15
dcap-tunnel-gsi
UMD-2-updates
```

| | | | |
|-------------------------------|-------|--------|------------------|
| dcap-tunnel-krb | | x86_64 | 2.47.7-1.e15 |
| UMD-2-updates | 14 k | | |
| dcap-tunnel-ssl | | x86_64 | 2.47.7-1.e15 |
| UMD-2-updates | 8.2 k | | |
| dcap-tunnel-telnet | | x86_64 | 2.47.7-1.e15 |
| UMD-2-updates | 8.9 k | | |
| delegation-api-c | | x86_64 | 2.1.3-1.e15 |
| EMI.emi-ui.s15.x86_64 | 56 k | | |
| delegation-cli | | x86_64 | 2.1.4-1.e15 |
| EMI.emi-ui.s15.x86_64 | 23 k | | |
| dpm | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 217 k | | |
| dpm-devel | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 209 k | | |
| dpm-libs | | i386 | 1.8.6-1.e15 |
| UMD-2-updates | 157 k | | |
| dpm-libs | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 156 k | | |
| dpm-perl | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 230 k | | |
| dpm-python | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 1.2 M | | |
| dpm-python26 | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 274 k | | |
| editline | | x86_64 | 2.9-1.s15 |
| UMD-2-updates | 271 k | | |
| emi-delegation-java | | noarch | 2.2.0-2.s15 |
| UMD-2-updates | 96 k | | |
| emi-trustmanager | | noarch | 3.1.4-1.s15 |
| UMD-2-updates | 277 k | | |
| emi-trustmanager-axis | | noarch | 2.0.2-1.s15 |
| UMD-2-updates | 28 k | | |
| emi-trustmanager-tomcat | | noarch | 3.0.1-1.s15 |
| UMD-2-base | 30 k | | |
| emi-version | | x86_64 | 2.8.0-1.s15 |
| EMI.emi-ui.s15.x86_64 | 2.0 k | | |
| emi.amga.amga-cli | | x86_64 | 2.3.0-1.s15 |
| UMD-2-updates | 404 k | | |
| emi.saga-adapter.context-cpp | | x86_64 | 1.0.2-3.s15 |
| UMD-2-updates | 354 k | | |
| emi.saga-adapter.isn-common | | noarch | 1.0.1-3.s15 |
| UMD-2-updates | 17 k | | |
| emi.saga-adapter.isn-cpp | | x86_64 | 1.0.3-1.s15 |
| UMD-2-updates | 900 k | | |
| emi.saga-adapter.sd-cpp | | x86_64 | 1.0.4-1.s15 |
| UMD-2-updates | 4.8 M | | |
| fetch-crl | | noarch | 2.8.5-1.e15 |
| epel | 24 k | | |
| fuse | | x86_64 | 2.7.4-8.e15 |
| sl-base | 83 k | | |
| fuse-libs | | x86_64 | 2.7.4-8.e15 |
| sl-base | 71 k | | |
| gfal | | i386 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 287 k | | |
| gfal | | x86_64 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 285 k | | |
| gfal-python | | x86_64 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 54 k | | |
| gfal-python26 | | x86_64 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 53 k | | |
| gfal2-all | | x86_64 | 2.2.0-1.e15 |
| EMI.emi-ui.s15.x86_64 | 6.7 k | | |
| gfal2-core | | x86_64 | 2.2.0-1.e15 |
| EMI.emi-ui.s15.x86_64 | 45 k | | |
| gfal2-plugin-dcap | | x86_64 | 2.2.0-1.e15 |
| EMI.emi-ui.s15.x86_64 | 14 k | | |
| gfal2-plugin-gridftp | | x86_64 | 2.2.0-1.e15 |
| EMI.emi-ui.s15.x86_64 | 55 k | | |
| gfal2-plugin-lfc | | x86_64 | 2.2.0-1.e15 |
| EMI.emi-ui.s15.x86_64 | 23 k | | |
| gfal2-plugin-rfio | | x86_64 | 2.2.0-1.e15 |
| EMI.emi-ui.s15.x86_64 | 13 k | | |
| gfal2-plugin-srm | | x86_64 | 2.2.0-1.e15 |
| EMI.emi-ui.s15.x86_64 | 41 k | | |
| gfal2-python | | x86_64 | 1.1.0-0.e15 |
| UMD-2-updates | 94 k | | |
| gfal2-transfer | | x86_64 | 2.2.0-1.e15 |
| EMI.emi-ui.s15.x86_64 | 18 k | | |
| gfalFS | | x86_64 | 1.0.1-0.e15 |
| UMD-2-updates | 15 k | | |
| giflib | | x86_64 | 4.1.3-7.3.3.e15 |
| sl-base | 39 k | | |
| glib2-devel | | x86_64 | 2.12.3-4.e15_3.1 |
| sl-base | 1.3 M | | |
| glibmm24 | | x86_64 | 2.12.10-1.e15 |
| epel | 146 k | | |
| glite-ce-cream-cli | | x86_64 | 1.14.1-2.s15 |
| EMI.emi-ui.s15.x86_64 | 1.7 M | | |
| glite-ce-cream-client-api-c | | x86_64 | 1.14.2-1.s15 |
| EMI.emi-ui.s15.x86_64 | 384 k | | |
| glite-ce-monitor-cli | | x86_64 | 1.14.1-1.s15 |
| UMD-2-updates | 332 k | | |
| glite-ce-monitor-client-api-c | | x86_64 | 1.14.1-1.s15 |
| UMD-2-updates | 306 k | | |
| glite-jdl-api-cpp | | x86_64 | 3.3.0-3.s15 |
| UMD-2-updates | 2.4 M | | |
| glite-jobid-api-c | | x86_64 | 2.1.2-5.e15 |
| UMD-2-updates | 9.1 k | | |
| glite-lb-client | | x86_64 | 5.1.7-1.e15 |
| EMI.emi-ui.s15.x86_64 | 230 k | | |

| | | | |
|---------------------------------|-------|--------|-------------|
| glite-lb-client-progs | | x86_64 | 5.1.7-1.e15 |
| EMI.emi-ui.s15.x86_64 | 102 k | x86_64 | 8.1.6-1.e15 |
| glite-lb-common | | x86_64 | 3.1.4-1.e15 |
| EMI.emi-ui.s15.x86_64 | 116 k | x86_64 | 3.1.7-1.e15 |
| glite-lbjp-common-gsoap-plugin | | x86_64 | 2.2.4-1.e15 |
| EMI.emi-ui.s15.x86_64 | 14 k | x86_64 | 2.2.3-1.s15 |
| glite-lbjp-common-gss | | x86_64 | 3.4.0-4.s15 |
| EMI.emi-ui.s15.x86_64 | 18 k | x86_64 | 3.4.0-4.s15 |
| glite-lbjp-common-trio | | x86_64 | 3.4.0-5.s15 |
| EMI.emi-ui.s15.x86_64 | 27 k | x86_64 | 3.4.0-5.s15 |
| glite-service-discovery-api-c | | x86_64 | 3.3.0-2.s15 |
| UMD-2-updates | 47 k | x86_64 | 3.3.0-2.s15 |
| glite-wms-brokerinfo-access | | x86_64 | 3.4.0-4.s15 |
| UMD-2-updates | 21 k | x86_64 | 3.4.0-4.s15 |
| glite-wms-brokerinfo-access-lib | | x86_64 | 3.4.0-4.s15 |
| UMD-2-updates | 62 k | x86_64 | 3.4.0-4.s15 |
| glite-wms-ui-api-python | | x86_64 | 3.4.0-5.s15 |
| UMD-2-updates | 1.7 M | x86_64 | 3.4.0-5.s15 |
| glite-wms-ui-commands | | x86_64 | 3.3.0-2.s15 |
| EMI.emi-ui.s15.x86_64 | 2.0 M | x86_64 | 3.3.0-2.s15 |
| glite-wms-utils-classad | | x86_64 | 3.4.0-4.s15 |
| UMD-2-updates | 45 k | x86_64 | 3.4.0-4.s15 |
| glite-wms-utils-exception | | x86_64 | 3.4.0-4.s15 |
| UMD-2-updates | 42 k | x86_64 | 3.4.0-4.s15 |
| glite-wms-wmproxy-api-cpp | | x86_64 | 3.4.0-4.s15 |
| UMD-2-updates | 1.0 M | noarch | 3.4.0-4.s15 |
| glite-wms-wmproxy-api-java | | noarch | 3.4.0-4.s15 |
| UMD-2-updates | 1.6 M | noarch | 3.4.0-4.s15 |
| glite-wms-wmproxy-api-python | | noarch | 5.0.1-2.s15 |
| UMD-2-updates | 50 k | noarch | 5.0.1-2.s15 |
| glite-yaim-clients | | noarch | 5.1.0-1.s15 |
| UMD-2-updates | 23 k | noarch | 2.2-1.e15 |
| glite-yaim-core | | noarch | 2.2-1.e15 |
| UMD-2-base | 118 k | i386 | 14.7-1.e15 |
| globus-callout | | i386 | 14.7-1.e15 |
| UMD-2-updates | 16 k | x86_64 | 7.4-1.e15 |
| globus-callout | | x86_64 | 7.4-1.e15 |
| UMD-2-updates | 17 k | x86_64 | 7.4-1.e15 |
| globus-common | | i386 | 4.4-1.e15 |
| UMD-2-updates | 129 k | i386 | 4.4-1.e15 |
| globus-common | | x86_64 | 4.4-1.e15 |
| UMD-2-updates | 132 k | x86_64 | 4.4-1.e15 |
| globus-ftp-client | | i386 | 8.6-1.e15 |
| UMD-2-updates | 104 k | i386 | 8.6-1.e15 |
| globus-ftp-client | | x86_64 | 7.2-1.e15 |
| UMD-2-updates | 109 k | x86_64 | 7.2-1.e15 |
| globus-ftp-control | | i386 | 6.2-1.e15 |
| UMD-2-updates | 71 k | i386 | 6.2-1.e15 |
| globus-ftp-control | | x86_64 | 6.2-1.e15 |
| UMD-2-updates | 74 k | x86_64 | 6.2-1.e15 |
| globus-gass-copy | | i386 | 4.3-1.e15 |
| UMD-2-updates | 37 k | i386 | 4.3-1.e15 |
| globus-gass-copy | | x86_64 | 4.3-1.e15 |
| UMD-2-updates | 38 k | x86_64 | 4.3-1.e15 |
| globus-gass-copy-progs | | x86_64 | 4.3-1.e15 |
| UMD-2-updates | 45 k | x86_64 | 4.3-1.e15 |
| globus-gass-transfer | | i386 | 4.3-1.e15 |
| UMD-2-updates | 43 k | i386 | 4.3-1.e15 |
| globus-gass-transfer | | x86_64 | 4.3-1.e15 |
| UMD-2-updates | 43 k | x86_64 | 4.3-1.e15 |
| globus-gsi-callback | | i386 | 4.3-1.e15 |
| UMD-2-updates | 40 k | i386 | 4.3-1.e15 |
| globus-gsi-callback | | x86_64 | 4.3-1.e15 |
| UMD-2-updates | 42 k | x86_64 | 4.3-1.e15 |
| globus-gsi-cert-utils | | i386 | 8.3-1.e15 |
| UMD-2-updates | 19 k | i386 | 8.3-1.e15 |
| globus-gsi-cert-utils | | x86_64 | 8.3-1.e15 |
| UMD-2-updates | 20 k | x86_64 | 8.3-1.e15 |
| globus-gsi-credential | | i386 | 5.3-1.e15 |
| UMD-2-updates | 33 k | i386 | 5.3-1.e15 |
| globus-gsi-credential | | x86_64 | 5.3-1.e15 |
| UMD-2-updates | 36 k | x86_64 | 5.3-1.e15 |
| globus-gsi-openssl-error | | i386 | 2.1-2.e15 |
| UMD-2-updates | 16 k | i386 | 2.1-2.e15 |
| globus-gsi-openssl-error | | x86_64 | 2.1-2.e15 |
| UMD-2-updates | 16 k | x86_64 | 2.1-2.e15 |
| globus-gsi-proxy-core | | i386 | 6.2-1.e15 |
| UMD-2-updates | 33 k | i386 | 6.2-1.e15 |
| globus-gsi-proxy-core | | x86_64 | 6.2-1.e15 |
| UMD-2-updates | 37 k | x86_64 | 6.2-1.e15 |
| globus-gsi-proxy-ssl | | i386 | 4.1-2.e15 |
| UMD-2-updates | 17 k | i386 | 4.1-2.e15 |
| globus-gsi-proxy-ssl | | x86_64 | 4.1-2.e15 |
| UMD-2-updates | 18 k | x86_64 | 4.1-2.e15 |
| globus-gsi-sysconfig | | i386 | 5.3-1.e15 |
| UMD-2-updates | 28 k | i386 | 5.3-1.e15 |
| globus-gsi-sysconfig | | x86_64 | 5.3-1.e15 |
| UMD-2-updates | 31 k | x86_64 | 5.3-1.e15 |
| globus-gss-assist | | i386 | 8.6-1.e15 |
| UMD-2-updates | 33 k | i386 | 8.6-1.e15 |
| globus-gss-assist | | x86_64 | 8.6-1.e15 |
| UMD-2-updates | 35 k | x86_64 | 8.6-1.e15 |
| globus-gssapi-error | | i386 | 4.1-2.e15 |
| UMD-2-updates | 13 k | i386 | 4.1-2.e15 |
| globus-gssapi-error | | x86_64 | 4.1-2.e15 |
| UMD-2-updates | 14 k | x86_64 | 4.1-2.e15 |
| globus-gssapi-gsi | | i386 | 10.7-1.e15 |
| UMD-2-updates | 57 k | i386 | 10.7-1.e15 |
| globus-gssapi-gsi | | x86_64 | 10.7-1.e15 |
| UMD-2-updates | 62 k | x86_64 | 10.7-1.e15 |

| | | | |
|----------------------------|-------------|--------|-------------------|
| globus-io | | i386 | 9.3-1.e15 |
| UMD-2-updates | 42 k | | |
| globus-io | | x86_64 | 9.3-1.e15 |
| UMD-2-updates | 44 k | | |
| globus-openssl-module | | i386 | 3.2-1.e15 |
| UMD-2-updates | 13 k | | |
| globus-openssl-module | | x86_64 | 3.2-1.e15 |
| UMD-2-updates | 14 k | | |
| globus-proxy-utils | | x86_64 | 5.0-2.e15 |
| UMD-2-updates | 45 k | | |
| globus-rls-client | | x86_64 | 5.2-6.e15 |
| UMD-2-updates | 30 k | | |
| globus-rsl | | x86_64 | 9.1-2.e15 |
| UMD-2-updates | 29 k | | |
| globus-xio | | i386 | 3.3-1.e15 |
| UMD-2-updates | 154 k | | |
| globus-xio | | x86_64 | 3.3-1.e15 |
| UMD-2-updates | 178 k | | |
| globus-xio-gsi-driver | | x86_64 | 2.3-1.e15 |
| UMD-2-updates | 37 k | | |
| globus-xio-popen-driver | | x86_64 | 2.3-1.e15 |
| UMD-2-updates | 21 k | | |
| gridftp-ifce | | i386 | 2.3.1-0.e15 |
| EMI.emi-ui.s15.x86_64 | 15 k | | |
| gridftp-ifce | | x86_64 | 2.3.1-0.e15 |
| EMI.emi-ui.s15.x86_64 | 15 k | | |
| gridsite-commands | | x86_64 | 1.7.25-1.emi2.e15 |
| UMD-2-updates | 28 k | | |
| gridsite-libs | | x86_64 | 1.7.25-1.emi2.e15 |
| UMD-2-updates | 130 k | | |
| gsi-openssh | | x86_64 | 4.3p2-5.e15 |
| UMD-2-updates | 258 k | | |
| gsi-openssh-clients | | x86_64 | 4.3p2-5.e15 |
| UMD-2-updates | 245 k | | |
| gsoap | | i386 | 2.7.13-4.e15 |
| epel | 451 k | | |
| gsoap | | x86_64 | 2.7.13-4.e15 |
| epel | 444 k | | |
| is-interface | | i386 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 50 k | | |
| is-interface | | x86_64 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 52 k | | |
| jakarta-commons-discovery | | x86_64 | 1:0.3-4jpp.1 |
| sl-base | 150 k | | |
| jakarta-commons-httpclient | | x86_64 | 1:3.0-7jpp.2 |
| sl-security | 600 k | | |
| jakarta-commons-logging | | x86_64 | 1.0.4-6jpp.1 |
| sl-base | 115 k | | |
| java-1.6.0-openjdk | | x86_64 | 1:1.6.0.0- |
| 1.40.1.11.11.e15_9 | sl-security | | 36 M |
| lcg-ManageVOTag | | noarch | 4.0.0-1 |
| UMD-2-updates | 4.8 k | | |
| lcg-info | | noarch | 1.12.2-1.e15 |
| UMD-2-updates | 13 k | | |
| lcg-infosites | | noarch | 3.1.0-3.e15 |
| UMD-2-updates | 10 k | | |
| lcg-tags | | noarch | 0.4.0-2 |
| UMD-2-updates | 8.7 k | | |
| lcg-util | | x86_64 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 86 k | | |
| lcg-util-libs | | i386 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 60 k | | |
| lcg-util-libs | | x86_64 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 58 k | | |
| lcg-util-python | | x86_64 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 40 k | | |
| lcg-util-python26 | | x86_64 | 1.15.0-0.e15 |
| EMI.emi-ui.s15.x86_64 | 39 k | | |
| lcgdm-devel | | i386 | 1.8.6-1.e15 |
| UMD-2-updates | 44 k | | |
| lcgdm-devel | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 44 k | | |
| lcgdm-libs | | i386 | 1.8.6-1.e15 |
| UMD-2-updates | 101 k | | |
| lcgdm-libs | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 104 k | | |
| lfc | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 162 k | | |
| lfc-devel | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 136 k | | |
| lfc-libs | | i386 | 1.8.6-1.e15 |
| UMD-2-updates | 46 k | | |
| lfc-libs | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 45 k | | |
| lfc-perl | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 167 k | | |
| lfc-python | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 2.2 M | | |
| lfc-python26 | | x86_64 | 1.8.6-1.e15 |
| UMD-2-updates | 436 k | | |
| libffi | | x86_64 | 3.0.5-1.e15 |
| epel | 24 k | | |
| libicu | | x86_64 | 3.6-5.16.1 |
| sl-base | 5.2 M | | |
| libsigc++20 | | x86_64 | 2.0.18-1.e15 |
| epel | 49 k | | |
| libtar | | x86_64 | 1.2.11-13.e15 |
| epel | 30 k | | |
| libtool-ltdl | | i386 | 1.5.22-7.e15_4 |
| sl-base | 37 k | | |

| | | | |
|------------------------------|-------|--------|---------------------|
| libtool-ltdl | | x86_64 | 1.5.22-7.e15_4 |
| sl-base | 38 k | | |
| libxslt | | x86_64 | 1.1.17-4.e15_8.3 |
| sl-base | 424 k | | |
| log4cpp | | x86_64 | 1.0-9.e15 |
| sl-base | 197 k | | |
| log4j | | x86_64 | 1.2.13-3jpp.2 |
| sl-base | 729 k | | |
| myproxy | | x86_64 | 5.9-1.1.e15 |
| UMD-2-updates | 86 k | | |
| myproxy-libs | | x86_64 | 5.9-1.1.e15 |
| UMD-2-updates | 124 k | | |
| nordugrid-arc | | x86_64 | 2.0.3-1.e15 |
| EMI.emi-ui.s15.x86_64 | 1.9 M | | |
| nordugrid-arc-client | | x86_64 | 2.0.3-1.e15 |
| EMI.emi-ui.s15.x86_64 | 1.1 M | | |
| nordugrid-arc-compat | | x86_64 | 1.0.1-1.e15 |
| UMD-2-updates | 1.9 M | | |
| nordugrid-arc-java | | x86_64 | 2.0.3-1.e15 |
| EMI.emi-ui.s15.x86_64 | 817 k | | |
| nordugrid-arc-plugins-globus | | x86_64 | 2.0.3-1.e15 |
| EMI.emi-ui.s15.x86_64 | 363 k | | |
| nordugrid-arc-plugins-needed | | x86_64 | 2.0.3-1.e15 |
| EMI.emi-ui.s15.x86_64 | 1.6 M | | |
| nordugrid-arc-python | | x86_64 | 2.0.3-1.e15 |
| EMI.emi-ui.s15.x86_64 | 2.2 M | | |
| openldap-clients | | x86_64 | 2.3.43-25.e15_8.1 |
| sl-base | 224 k | | |
| perl-Compress-Zlib | | x86_64 | 1.42-1.fc6 |
| sl-base | 52 k | | |
| perl-Convert-ASN1 | | noarch | 0.20-1.1 |
| sl-base | 42 k | | |
| perl-DBI | | x86_64 | 1.52-2.e15 |
| sl-base | 605 k | | |
| perl-HTML-Parser | | x86_64 | 3.55-1.fc6 |
| sl-base | 91 k | | |
| perl-HTML-Tagset | | noarch | 3.10-2.1.1 |
| sl-base | 15 k | | |
| perl-IO-Socket-SSL | | noarch | 1.01-2.e15 |
| sl-base | 50 k | | |
| perl-LDAP | | noarch | 1:0.33-4.e15_8 |
| sl-base | 313 k | | |
| perl-Net-SSLeay | | x86_64 | 1.30-4.fc6 |
| sl-base | 192 k | | |
| perl-URI | | noarch | 1.35-3 |
| sl-base | 116 k | | |
| perl-XML-Namespacesupport | | noarch | 1.09-1.2.1 |
| sl-base | 15 k | | |
| perl-XML-SAX | | noarch | 0.14-13.e15 |
| sl-base | 77 k | | |
| perl-libwww-perl | | noarch | 5.805-1.1.1 |
| sl-base | 376 k | | |
| pkgconfig | | x86_64 | 1:0.21-2.e15 |
| sl-base | 61 k | | |
| python-fpconst | | noarch | 0.7.3-3.e15.1 |
| epel | 15 k | | |
| python26 | | x86_64 | 2.6.8-2.e15 |
| epel | 6.5 M | | |
| python26-libs | | x86_64 | 2.6.8-2.e15 |
| epel | 695 k | | |
| srp-ifce | | i386 | 1.15.2-1.e15 |
| EMI.emi-ui.s15.x86_64 | 210 k | | |
| srp-ifce | | x86_64 | 1.15.2-1.e15 |
| EMI.emi-ui.s15.x86_64 | 198 k | | |
| storm-srm-client | | x86_64 | 1.6.0-6.s15 |
| UMD-2-base | 453 k | | |
| swig | | x86_64 | 1.3.29-2.e15 |
| sl-base | 2.9 M | | |
| transfer-cli | | x86_64 | 4.0.3-1.e15 |
| UMD-2-updates | 1.2 M | | |
| tzdata-java | | x86_64 | 2013b-1.e15 |
| sl-security | 184 k | | |
| uberftp | | x86_64 | 2.4-5.e15 |
| epel | 85 k | | |
| unicore-hila-shell | | noarch | 2.3.0-5.s15 |
| UMD-2-updates | 3.9 M | | |
| unicore-hila-unicore6 | | noarch | 2.3.0-5.s15 |
| UMD-2-updates | 22 M | | |
| unicore-ucc6 | | noarch | 5.0.0-1.s15 |
| UMD-2-updates | 32 M | | |
| util-c | | x86_64 | 1.3.3-1.e15 |
| EMI.emi-ui.s15.x86_64 | 25 k | | |
| voms | | i386 | 2.0.9-1.e15 |
| UMD-2-updates | 162 k | | |
| voms | | x86_64 | 2.0.9-1.e15 |
| UMD-2-updates | 164 k | | |
| voms-clients | | x86_64 | 2.0.9-1.e15 |
| UMD-2-updates | 172 k | | |
| wsd14j | | x86_64 | 1.5.2-4jpp.1 |
| sl-base | 428 k | | |
| xerces-c | | x86_64 | 2.7.0-8.e15 |
| epel | 1.3 M | | |
| xml-commons | | x86_64 | 1.3.02-0.b2.7jpp.10 |
| sl-base | 19 k | | |
| xml-commons-apis | | x86_64 | 1.3.02-0.b2.7jpp.10 |
| sl-base | 387 k | | |
| xmlsec1 | | x86_64 | 1.2.9-8.1.2 |
| sl-base | 193 k | | |
| xmlsec1-openssl | | x86_64 | 1.2.9-8.1.2 |
| sl-base | 80 k | | |

xrootd-libs
UMD-2-updates 992 k x86_64 1:3.2.5-1.e15.centos

Transaction Summary

=====
Install 221 Package(s)
Upgrade 0 Package(s)

Not applicable Quality Criteria

Specific Functional Tests to be repeated in SR:

| Test number | Description | Motivation |
|-------------|-------------|------------|
| | | |
| | | |
| | | |

Specific Non-functional tests (Scalability, etc...) to be repeated in SR:

| Test number | Description | Motivation |
|-------------|-------------|------------|
| | | |
| | | |
| | | |

Comments for UMD QC definition (TSA2.2):

- Review criteria xxxx
- Add criteria xxxx

Comments for SR (TSA1.3):

Comments for DMSU (TSA2.5):

Comments for TP: