

D3.2 DTE First software release

Status: APPROVED BY THE EC

Dissemination Level: public



Funded by the European Union

Disclaimer: Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union. Neither the European Union nor the granting authority can be held responsible for them

Abstract		
Key Words	Software, Quality, Release, Assessment	
towards it. It incl and optional) rec	escribes the first interTwin DTE release along with all necessary steps udes the Software release procedure, the Quality Criteria (mandatory juired for each component, how each component is tracked and finally alongside some statistics about the number of components and their	



Document Description				
DTE First Software Release				
Work Package numbe	er 3			
Document type	Deliverable			
Document status	APPROVED BY THE Version 1			
Dissemination Level	Public			
Copyright Status	This material by Parties of the interTwin Consortium is licensed under a <u>Creative Commons Attribution 4.0 International License</u> .			
Lead Partner	LIP			
Document link	https://documents.egi.eu/document/3931			
DOI	https://zenodo.org/records/14974042			
Author(s)	 Mario David (LIP) Joao Pina (LIP) Andrea Manzi (EGI Foundation) 			
Reviewers	Andrea Manzi (EGI Foundation)Christoph Reimer (EODC)			
Moderated by:	• Sjomara Specht (EGI)			
Approved by	AMB			

Revision History				
Version	Date	Description	Contributors	
V0.1	06/02/2024	ТоС	Mario David, Joao Pina (LIP)	
V0.2	26/02/2024	Complete draft	Mario David, Joao Pina (LIP), Andrea Manzi (EGI Foundation)	
v0.3	05/03/2024	Version reviewed by internal reviewers	Andrea Manzi (EGI Foundation) Christoph Reimer (EODC)	
v0.4	05/03/2024	Version ready for QA	Mario David, Joao Pina (LIP)	
V1.0	06/03/2024	Final		

Terminology / Acronyms		
Term/Acronym	Definition	
CI/CD	Continuous Integration/Continuous Delivery	
DT	Digital Twin	
DTE	Digital Twin Engine	
QCA	Quality Criteria Attributes	
SQAaaS	Software Quality Assurance as a Service	
SW	Software	

Terminology / Acronyms: <u>https://confluence.egi.eu/display/EGIG</u>

Table of Contents

1	Intr	oduction	7
2	Soft	ware and Services Quality Assurance	8
	2.1	Mandatory Criteria	8
	2.2	Optional Criteria	. 10
3	inte	rTwin Release Management	. 12
4	inte	rTwin First DTE Release	. 16
5	Con	clusions	. 18
6	Refe	erences	. 19

Table of Figures

Figure 1 - Procedure for the SW release within interTwin
Figure 2 - SQAaaS service to perform an assessment on the source code
Figure 3 - SQAaaS assessment report for Deltares hydromt component
Figure 4 -Jira ticket for the SW component openEO Python Process Implementation. The assessment reports (in pdf and json formats) are included in the ticket
Figure 5 - Mandatory QCA included in the tickets, that the SW and DTE developers should check to prepare their components for release
Figure 6 - interTwin DTE architecture, showing on the right with blue boxes, the DTE categories
Figure 7 - Web page describing the itwinai component



Executive summary

This deliverable describes the first interTwin DTE release. This is the work performed by Task 3.3 during the first project period. Namely, the documentation about the Software release procedure in a Confluence Wiki page. This procedure includes mandatory Quality Criteria that the project's DTE components have to satisfy to be part of the release as well as optional criteria towards earning a badge.

It describes in detail how each DTE component is tracked towards the release, through Jira tickets as well as how the Quality Criteria is assessed through the *Software Quality Assurance as a Service* with underlying CI/CD Jenkins pipelines.

The first interTwin DTE release is detailed with descriptions of the platform architecture and statistics about the number of components and their QC assessment.



1 Introduction

This Deliverable describes the work done in the first period regarding the setting of the Software (SW) release management procedure. This procedure has been described and implemented according to discussions with the DTE developer teams responsible for the interTwin platform and applications.

Quality is a very important trait in Software development and release; thus, it has been made part of this procedure. Each DTE component is required to pass the Software Quality Criteria set by Task 3.3 to be part of an interTwin release. The mandatory and optional Quality Criteria is detailed in this document.

The assessment is performed on the source code through a Version Control System repository with the *"Software Quality Assurance as a Service"* (SQAaaS) from the EOSC-Synergy project¹, executing CI/CD pipelines using a Jenkins service.

The procedure and guidelines are described in Confluence Wikis, and the DTE components for the interTwin release are tracked in Jira tickets under the control of Task 3.3.

The first interTwin DTE release is also detailed in this deliverable, it includes the platform architecture and the description and status of the components in the release.

This document is organized as follows:

- <u>Section 2</u> describes the software and services quality assurance, the mandatory and optional criteria.
- <u>Section 3</u> details the software and DTE release management procedure.
- <u>Sections 4</u> describes the 1st interTwin DTE release.
- <u>Section 5</u> draws some conclusions.



¹ <u>https://sqaaas.eosc-synergy.eu/</u>

2 Software and Services Quality Assurance

In the framework of Task 3.3, we have defined a set of Quality Criteria Attributes (QCA), that software components have to pass to be included in the interTwin release. This quality criteria set was discussed and agreed upon with the DTE developer teams. The document: "A set of Common Software Quality Assurance Baseline Criteria for Research Projects" [R1] has served as the basis for the QCAs in interTwin.

The set of QCAs is documented in a confluence page:

 <u>https://confluence.egi.eu/display/interTwin/Software+and+Services+Quality+A</u> <u>ssurance+%28SQA%29+guidelines</u> (internal)

The QCAs are abstract in the sense that they are agnostic with respect to the technologies and services used to assess them.

There are two main sections regarding the SW release in InterTwin:

- Mandatory criteria for the SW release.
- Optional criteria: for DTE developer teams that want to obtain a badge according to the EOSC-Synergy standards.

2.1 Mandatory Criteria

The following criteria are mandatory for any software component release. The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [R2].

- 1. Code Accessibility [QC.Acc]
 - [QC.Acc01] Following the open-source model, the source code being produced MUST be open and publicly available to promote the adoption and augment the visibility of the software developments.
 - [QC.Acc02] Source code MUST use a Version Control System (VCS).
- 2. Code Workflow [QC.Wor]
 - [QC.Wor01] The main branch in the source code repository MUST maintain a working state version of the software component.
- 3. Code Management [QC.Man]
 - [QC.Man01] An issue tracking system MUST be in place; it facilitates structured software development. Leveraging issues to track down both new enhancements and defects (bugs, documentation typos). This criteria is adapted from the original baseline.



- 4. Semantic Versioning [QC.Ver]
 - [QC.Ver01] Semantic Versioning² specification SHOULD be used for tagging the production releases. (This criteria is adapted from the original baseline.) This standard proposes a `<MAJOR>.<MINOR>.<PATCH>` schema for tagging releases, where:
 - A MAJOR increment denotes incompatible changes breaking backwards compatibility (obsoletes components).
 - A MINOR increment denotes backwards-compatible features/functionalities.
 - A PATCH increment denotes backwards-compatible bug fixes.
- 5. Licensing [QC.Lic]
 - [QC.Lic01] As open-source software, source code MUST adhere to an opensource license to be freely used, modified and distributed by others. Nonlicensed software is exclusive copyright by default. License MUST be compliant with the Open Source Definition³.
 - [QC.Lic01.1] Licenses MUST be physically present (e.g. as a LICENSE file) in the root of all the source code repositories related to the software component.

6. Documentation [QC.Doc]

- [QC.Doc02] Documentation is RECOMMENDED to use plain text format using a markup language, such as Markdown or reStructuredText. (This criteria is adapted from the original baseline.)
- [QC.Doc03] Documentation MUST be online and available in a documentation repository.
- [QC.Doc04] Documentation MUST be updated on new software versions involving any substantial or minimal change in the behaviour of the application.
- [QC.Doc05] Documentation MUST be updated whenever reported as inaccurate or unclear.
- [QC.Doc06] Documentation MUST be produced according to the target audience, varying according to the software component specification. The identified types of documentation and their RECOMMENDED content are:
 - [QC.Doc06.1] README file MUST be present.
 - [QC.Doc06.5] Developer, when applicable.

² <u>https://semver.org</u>

³ <u>https://opensource.org/osd</u>

- [QC.Doc06.6] Deployment and Administration, when applicable.
- [QC.Doc06.7] User, when applicable.

2.2 Optional Criteria

The optional QCA are for the = DTE developer teams that aim at a badge awarded by EOSC-Synergy through the SQAaaS: [https://sqaaas.eosc-synergy.eu/].

In addition to the mandatory set of QCAs, the following QCAs should be met in order to obtain a badge. There are three badges: **Gold**, **Silver**, and **Bronze**.

For the Bronze badge mandatory QCAs must be meet, plus:

Documentation [QC.Doc]:

- [QC.Doc01] Documentation MUST be treated as code,
- [QC.Doc01.1] Version controlled, it MAY reside in the same repository where the source code lies.
- [QC.Doc06.2] CONTRIBUTING file MUST be present in order to communicate how external parties can contribute to the code.
- [QC.Doc06.3] A code of conduct (usually defined in a CODE_OF_CONDUCT file) MUST be present to establish the positive social attitudes expected within the community of code contributors.

For the Silver badge, the Bronze badge QCAs must be met, plus:

Metadata [QC.Met]

Metadata for the software component provides a way to achieve its full identification, thus making software citation viable [R3]. It allows the assignment of a Digital Object Identifier (DOI) and is key towards preservation, discovery, reuse, and attribution of the software component.

• [QC.Met01] A metadata file SHOULD exist alongside the code, under its VCS. The metadata file SHOULD be updated when needed, as is the case of a new version.

For the Gold badge mandatory the Silver badge QCAs must be met, plus:

Style [QC.Sty]

Code style requirements pursue the correct maintenance of the source code by the common agreement of a series of style conventions. These vary based on the programming language being used.

• [QC.Sty01] Each individual software product MUST comply with community-driven or de-facto code style standards for the programming languages being used.



Unit [QC.Uni]

Unit testing evaluates all the possible flows in the internal design of the code, so that its behavior becomes apparent. It is a key type of testing for early detection of failures in the development cycle.

• [QC.Uni01] Minimum acceptable code coverage threshold SHOULD be 70%.

Security [QC.Sec]

The security assessment is essential for any production software. An effective implementation of the security requirements applies to every stage in the Software Development Life Cycle (SDLC), especially effective at the source code level.

• [QC.Sec02] Source code MUST use automated linter tools to perform static application security testing (SAST)⁴, that flag common suspicious constructs that may cause a bug or lead to a security risk (e.g. inconsistent data structure sizes or unused resources).



⁴ <u>https://owasp.org/www-community/Source_Code_Analysis_Tools</u>

3 interTwin Release Management

The software release procedure is described in the following confluence page:

• <u>https://confluence.egi.eu/display/interTwin/PROC10+Software+Release</u> (internal)

The procedure describes the goals, entities involved and necessary steps towards a software release, as shown in **Figure 1**. As it can be seen, the 1st step is the Quality Assurance assessment of all software components that are candidates to be part of the interTwin release. The assessment is performed using the EOSC-Synergy's SQAaaS service: <u>https://sqaaas.eosc-synergy.eu/</u> as shown in **Figure 2**.

This service generates a report in pdf (shown in **Figure 3**) and json format.

For each SW component declared in our internal confluence page:

 <u>https://confluence.egi.eu/display/interTwin/SW+information%3A++Platfor</u> <u>m+services%2C+DTE+core%2C+DTE+thematic+modules%2C+DT+application</u> <u>s</u> (internal)

a Jira ticket is created to track its evolution towards the inclusion in the release; this is shown for one SW component in **Figure 4**. The full list of Jira tickets created for the interTwin release is at: <u>https://jira.egi.eu/projects/ITRM/issues/</u>(internal). The above-mentioned SQAaaS assessment reports are included in each of the corresponding Jira tickets.

The report in json format is parsed to extract the results of the assessment and included in the ticket as well, c.f. **Figure 5**. This is how we track the evolution of any given component towards the interTwin release.



EGI Confluence Spaces ~	People Analy	tics Create ····				
Project Plans						
Acknowledgement	Goals					
Privacy Policy						
Confluence best practices		ine the guidelines for a mote a set of Software	SW release. Quality Assurance (SQA) criteria w	vithin the interTwin proi	ect.	
	• Imp	rove the quality and rel	iability of the software by coverin	g different testing met	hods at the development and pre-production stages.	
PAGE TREE	• Imp	rove the adoption of th	e software by delivering quality d	ocumentation.		
Project Office	Entitie		be procedure			
 Project Plans 	Entities involved in the procedure					
Project Procedures		providers or representa	tive			
PROC01 Deliverables and mil	WP3 team	1				
PROC02 Requesting change	Tricar					
 PROC03 Financial and effort 	Trigge					
 PROC04 Risks review: Existin 	New relea	se of software				
 PROC05 Project role handovi 	Charac					
 PROC06 Capture, Record and 	Steps					
 PROC07 Allocating financial : 	Step#	Responsible	Action	Prerequisites, if		
 PROC08 Exploitation Monito 				any		
 PROC09 Market, Technologic 	1	Software Team	Apply SQA guidelines to the	Check		
 PROC10 Software Release 			software Software and			
Impact metrics				Services Quality Assurance (SQA)		
 Communication metrics 	1			guidelines		
> KPIs	2	Software Team	Release Announcement	none		
 Risk registry 			Create a Jira Ticket on			
Privacy Policy			the InterTwin Release and Management queue			
 Acknowledgement 						
 Collaboration Agreements and 	3	T3.3 Lead & Software Team	Implement Jira Release ticket workflow	New Release		
 Project Governance and manager 						
> Project Events			•			
 Dissemination Activities 						
 Communication Toolkit 			RELEASED PLANNED			
 Finance and reporting 			RELEASE IN PREPARATION			
> Deliverables						
Milestones			RELEASE IMPLEMENTED			
 Work packages 						
> Management Tools						
Innovation Management Progres	4	T3.3 Lead	Perform Release validation	none		
Technical Documents		1515 2000				


Figure 1 - Procedure for the SW release within interTwin.

Take credit for the quality achievements of your code

Fill in the form below to trigger the assessment process

Source Code	Service
From Repository	
Repository URL	Branch
https://github.com/Deltares/hydromt	
This is a private repository	
External documentation repository URL (optional)	Branch
This is a private repository	
Load QAA report from previous assessment	
	Start Source Code Assessment

Figure 2 - SQAaaS service to perform an assessment on the source code.



Silver badge	Gold badge
Versioning	× Code Style
× 🛢 Code metadata	🗙 🛱 Unit Testing
	🗙 🔒 Security

Criteria Report

	Code Accessibility	100	-
	Documentation	100	-
	Licensing	100	-
P	Versioning	33	-
	Code metadata	0	•
۵	Security	0	•
0	Code Style	0	•
\$	Unit Testing	0	






Figure 4 -Jira ticket for the SW component openEO Python Process Implementation. The assessment reports (in pdf and json formats) are included in the ticket

```
QC.Acc01 True
QC.Acc02 True
QC.Wor01 Manual
QC.Man01 True
QC.Ver01 True 0.9.3
QC.Lic01 True
QC.Lic01.1 True
QC.Doc02 Manual
QC.Doc03 Manual
QC.Doc04 Manual
QC.Doc06.1 True
QC.Doc06.5 Manual
QC.Doc06.7 Manual
QC.Doc06.7 Manual
```

Figure 5 - Mandatory QCA included in the tickets, that the SW and DTE developers should check to prepare their components for release.

Some of the QC attributes can't be automatically assessed, most are about the existence of certain documentation. Depending on the type of component there may be some types of documents that are not applicable to it. For example, in the case of a DTE application it does not make sense to have an administration guide.

Another case of manual assessment is QC.Wor01, since a working state version of the software component may not be in the main branch.




4 interTwin First DTE Release

There are four main categories of DTE components that fulfil the interTwin platform architecture shown in **Figure 6**, the web page:

<u>https://www.intertwin.eu/intertwin-digital-twin-engine/</u> contains a detailed overview of the architecture and the 3 DTE categories:

- 1. The Digital Twin Engine infrastructure modules: provide specific capabilities on top of HW infrastructure, such as federated data and computing resources needed for modeling and simulation tasks:
 - a. https://www.intertwin.eu/dte-infrastructure-modules/.
- 2. The Digital Twin Engine core modules: offer cross-domain capabilities, simplifying the creation and operation of data-intensive and compute-intensive DT applications:
 - a. https://www.intertwin.eu/core-dte-modules/.
- 3. The Digital Twin Engine thematic modules (environment and physics): add-ons providing capabilities tailored to the needs of specific application groups:
 - a. https://www.intertwin.eu/thematic-modules-environment/.



b. https://www.intertwin.eu/thematic-modules-physics/.

Figure 6 - interTwin DTE architecture, showing on the right with blue boxes, the DTE categories.

The website exposes, for each component, a dedicated webpage (see example in **Figure 7**) where the information about the software is displayed (Description, Documentation link to source code, etc).

	Core DTE Modules itwinai	
		Updated 14/02/2024
Description itwinal is a Python library that streamlines AI workflows, while		
itwinai is a Python library that streamlines Al workflows, while reducing coding complexity.		
- itwinai is a Python library that streamlines Al workflows, while	Target Audience	\odot
itwinai is a Python library that streamlines AI workflows, while reducing coding complexity. It seamlessly integrates with HPC resources, making workflows highly scalable and promoting code reuse. With built-in tools for hyper-parameter optimization, distributed machine learning, and pre-trained ML models. Itwinai empowers AI researchers. It also integrates smoothly with Jupyter-like GUIs, enhancing accessibility and usability.	Target Audience Documentation	· · ·
itwinai is a Python library that streamlines AI workflows, while reducing coding complexity. It seamlessly integrates with HPC resources, making workflows highly scalable and promoting code reuse. With built-in tools for hyper-parameter optimization, distributed machine learning, and pre-trained ML models. Itwinai empowers AI researchers. It also integrates smoothly with Jupyter-like GUIs, enhancing	-	······································

Figure 7 - Web page describing the itwinai component

The components that have been included in the first release have been the results of the first DTE internal release described in the deliverables D5.2[R4], D6.2[R5], D7.3[R6] and D7.4[R7] and which have passed the mandatory Quality Criteria defined in the procedure described in Section 3.

An overview of the status of the SW and DTE components is given next.

There were 44 Jira tickets created for as many components. From those, 6 components are still in the early stages of development and will not be released yet. The other 38 components will be part of the release, meaning that they have been through the SQAaaS assessment, and all pass the mandatory Quality Criteria. Furthermore, and regarding the optional Quality Criteria, 7 components have earned the EOSC-Synergy Bronze badge, 1 the Silver badge and 1 the Gold badge.



5 Conclusions

During the first period of the project, Task 3.3 has created a procedure for software release of the interTwin DTE. It has successfully used the SQAaaS from EOSC-Synergy to assess the mandatory attributes of the Quality Criteria needed for any given component to be part of the first release. Furthermore, several components have passed optional criteria, thus earning badges resulting from the assessment.

The tracking of the individual components through Jira tickets, has proven to be an appropriate way for developers to work their components towards inclusion in the release. Not all criteria are possible to be verified automatically with the CI/CD Jenkins pipelines, namely the type of documentation, accordingly the developer teams have performed this manual step.

Last but not least, we reported about the first interTwin DTE release, showing the platform architecture with a large fraction of the components as part of the release and some statistics about the software management process through Jira tickets.

The task T3.3 is planning to extend the software release procedure and activities for the second release of the DTE to include artifact release management. This activity has not been included in the first release cycle as many components have not yet reached the needed level of maturity.



6 References

Ref	References		
No	Description / Link		
R1	Pablo Orviz, Alvaro Lopez, Doina Cristina Duma, Mario David, Jorge Gomes, Giacinto Donvito, "A set of Common Software Quality Assurance Baseline Criteria for Research Projects" , 2017, <u>https://digital.csic.es/handle/10261/160086</u>		
	(Github repository: https://github.com/indigo-dc/sqa-baseline).		
R2	Key words for use in RFCs to Indicate Requirement Levels, Scott O. Bradner,InternetEngineeringTaskForce(1997-03):https://datatracker.ietf.org/doc/rfc2119/		
R3	Smith AM, Katz DS, Niemeyer KE, FORCE11 Software Citation Working Group. 2016. Software citation principles. PeerJ Computer Science 2:e86 https://doi.org/10.7717/peerj-cs.86		
R4	Spiga, D., Millar, P., Atherton, L., Antonacci, M., & Ciangottini, D. (2023). interTwin D5.2 – First DTE Infrastructure Software Release (Final). Zenodo. <u>https://doi.org/10.5281/zenodo.10418216</u>		
R5	Campos, I., Moltó, G., Jacob, A., Orviz, P., Caballer, M., Bunino, M., Zoechbauer, A., & Fiore, S. (2023). interTwin D6.2 First release of the DTE core modules (1 Under EC review).		
	Zenodo. https://doi.org/10.5281/zenodo.10224213		
R6	Fiore, S., Fronza, M., Elia, D., Donno, D., Donno, E., Backeberg, B., Jacob, A., Claus, M., & Pagè, C. (2023). interTwin D7.3 First version of the thematic modules for the environment domain (1 Under EC review).		
	Zenodo. https://doi.org/10.5281/zenodo.10224252		
R7	Sinha Ray, G., Campos, I., Pidopryhora, Y., Vallero, S., Gennai, A., Vallecorsa, S., & Tsolaki, K. (2023). interTwin D7.4 First version of the thematic modules for the physics domain (1 Under EC review).		
	Zenodo. <u>https://doi.org/10.5281/zenodo.10224277</u>		



D3.2 DTE First software release

